Environmental Protection Agency

chlorocylcopropyl)-3-(2-chlorophenyl)-2-hydroxypropyl]-1,2-dihydro-3H-1,2,4-triazole-3-thion, including its metabolites and degradates, in or on the commodities in the table below. Compliance with the tolerance levels specified below is to be determined by measuring only prothioconazole and its metabolites prothioconazole-desthio, or α -(1-chlorocyclopropyl)- α -[(2-

chlorophenyl)methyl]-1H-1,2,4-triazole-1-ethanol, and conjugates that can be converted to these two compounds by acid hydrolysis, calculated as parent in or on the commodity.

Commodity	Parts per million
Cattle, fat	0.1
Cattle, meat	0.02
Cattle, meat byproducts	0.2
Goat, fat	0.1
Goat, meat	0.02
Goat, meat byproducts	0.2
Hog, meat byproducts	0.05
Horse, fat	0.1
Horse, meat	0.02
Horse, meat byproducts	0.2
Milk	0.02
Poultry liver	0.02
Sheep, fat	0.1
Sheep, meat	0.02
Sheep, meat byproducts	0.2

- (b) Section 18 emergency exemptions. [Reserved]
- (c) Tolerances with regional registrations. [Reserved]
- (d) Indirect or inadvertent residues. [Reserved]

[72 FR 11783, Mar. 14, 2007, as amended at 73 FR 14719, Mar. 19, 2008; 74 FR 14749, Apr. 1, 2009; 74 FR 46699, Sept. 11, 2009; 75 FR 29914, May 28, 2010; 76 FR 61592, Oct. 5, 2011; 78 FR 67052, Nov. 8, 2013]

§ 180.627 Fluopicolide; tolerances for residues.

(a) *General*. Tolerances are established for residues of the fungicide fluopicolide [2,6-dichloro-*N*-[[3-chloro-5-(trifluoromethyl)-2-

pyridinyl]methyl]benzamide], including its metabolites and degradates, in or on the commodities in the table in this paragraph. Compliance with the tolerance levels specified below is to be determined by measuring only fluopicolide [2,6-dichloro-N-[[3-chloro-5-(trifluoromethyl)-2-

pyridinyl]methyl]benzamide] in or on the commodity.

Commodity	Parts per million
Brassica, head and stem, subgroup 5A	5.0
Grape	2.0
Grape, raisin	6.0
Potato, processed waste	0.05
Vegetable, brassica (cole) leafy subgroup 5B	18
Vegetable, bulb, crop group 3-07	7.0
Vegetable, cucurbit, group 9	0.50
Vegetable, fruiting, group 8	1.60
Vegetable, leafy, except brassica, group 4	25
Vegetable, leaves of root and tuber, group 2	15.0
Vegetable root, subgroup 1A	0.15
Vegetable, tuberous and corm subgroup 1C	0.02

- (b) Section 18 emergency exemptions. [Reserved]
- (c) Tolerances with regional registrations. [Reserved]
- (d) Indirect or inadvertent residues. Tolerances are established for residues of the fungicide fluopicolide [2,6-dichloro-N-[[3-chloro-5-(trifluoromethyl)-2-

pyridinyl]methyl]benzamide], including its metabolites and degradates, in or on the commodities in the table in this paragraph. Compliance with the tolerance levels specified below is to be determined by measuring only fluopicolide [2,6-dichloro-N-[[3-chloro-5-(trifluoromethyl)-2-

pyridinyl]methyl]benzamide] in or on the commodity.

Commodity	Parts per million
Corn, field, forage	0.08
Corn, field, grain	0.01
Corn, field, stover	0.20
Wheat, aspirated grain fractions	0.07
Wheat, forage	0.20
Wheat, grain	0.02
Wheat, hay	0.50
Wheat, milled byproducts	0.07
Wheat, straw	0.50

[72 FR 14447, Mar. 28, 2007, as amended at 73 FR 5455, Jan. 30, 2008; 73 FR 30498, May 28, 2008; 76 FR 22054, Apr. 20, 2011; 79 FR 12401, Mar. 5, 2014]

§ 180.628 Chlorantraniliprole; tolerances for residues.

(a) General. Tolerances are established for residues of the insecticide chlorantraniliprole, including its metabolites and degradates, in or on the commodities in the table below. Compliance with the tolerance levels specified below is to be determined by measuring only chlorantraniliprole, 3-bromo-N-[4-chloro-2-methyl-6-[(methylamino)carbonyl]phenyl]-1-(3-